



## **Product Fiche**

According to Annex IV of COMMISSION DELEGATED REGULATION(EU) No 811/2013 of 18 February 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to the energy labelling of space heaters, combination heaters, packages of space heater, temperature control and solar device and packages of combination heater, temperature control and solar device.

Manufacture	MIDEA
Unit reference	RSJ-15/190RDN3-F

Average climate condition (Design temperature = -10°C)	Water Heater
	Declared Load Profile: L
Seasonal Energy efficiency class $\eta_s \mid \eta_{wh}$	Α
Annual energy consumption QHE   AEC (kWh/year)	1027
Seasonal Energy efficiency η <sub>s</sub>   η <sub>wh</sub> (%)	100
SCOP <sub>DHW</sub>	2.58

Warmer climate condition (Design temperature = 2°C)	Water Heater  Declared Load Profile: L
Annual energy consumption QHE   AEC (kWh/year)	886
Seasonal Energy efficiency η <sub>s</sub>   η <sub>wh</sub> (%)	116
SCOP <sub>DHW</sub>	2.98

Colder climate condition (Design temperature = -22°C)	Water Heater  Declared Load Profile: L
Annual energy consumption QHE   AEC (kWh/year)	1063
Seasonal Energy efficiency η <sub>s</sub>   η <sub>wh</sub> (%)	96
SCOP <sub>DHW</sub>	2.48

- (a) The nominal heating capacity is equal to Pdesign requirement at Tdesign, supplemented by Psup, if needed.
- (b) Date are calculated According to the EN14825 standard & EN14511 and the Commission communication  $2014/C\ 207/02$ .

## Special precaution to take during assembly, installation, maintenance

This appliance must be installed, maintained and dismantled by professionals. Do not vent contained refrigerant into the atmosphere since this refrigerant fluid is a fluorinated greenhouse gas regulated under European Regulation (EU) No 517/2014.

Seal

Signature of the authorized person

